



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

I. *A Catalogue of the FIFTY PLANTS, from Chelsea-Garden, presented to the Royal Society by the Company of Apothecaries, for the Year 1735. pursuant to the Direction of Sir Hans Sloane, Bart. Med. Reg. & Soc. Reg. Præs. by Isaac Rand, Apothecary, F. R. S. Hort. Chel. Præs. ac Prælec. Botan.*

651. **A** BUTILON *Althæodes*; flore carneo; fructu globofo. Hort. Elt. T. 1.

652. **A** nonis *Americana supina*, *Medicaginis* facie; siliquis latis, planis.

653. *Aristolochia rotunda*; flore ex purpura-nigro. C. B. 307.

654. *Atriplex Halimoides*, *latifolia*, *dentata*.

655. *Canella alba*, cujus Cortex est *Cortex Winteranus*. Officin. Lond.

*Arbor baccifera, laurifolia, aromatica*; fructu viridi, calyculato, racemoso. Sloan. Hist. Jam. T. 191. f. 2.

656. *Cannabina Cretica*, fructifera. T. Cor. 52.

657. *Digitalis Acanthoides*, *Canariensis*, frutescens; flore aureo. Hort. Amst. II. p. 105.

658. *Eupatorium Virginianum*; *Salviæ* foliis longissimis, acuminatis; perfoliatum. Pluk. Phyt. T. 87. fig. 6.

659. *Ficoides*; folio parvo, ensiformi; purpureis floribus, ad caulium extremitates fere umbellatim nascentibus.

An *Mesembrianthemum falcatum minimum*,  
&c. Hort. Elth. 288?

660. *Geranium Africanum*, arboreescens; flore dilute coccineo; *Malvæ folio minore*. Vide Hort. Elth. Tab. 125. f. 152.

661. *Gramen Americanum*; Spica echinata; majoribus locustis. Schol. Bot.

662. *Gramen arundinaceum*, Halepense; *Tragopogonis folio*. D. Bobart.

663. *Gramen Miliaceum*, *Americanum*, latifolium; panicula parva, laxa.

An *Gramen Miliaceum Americanum*, majus; panicula minore. Pluk. Almag. 176?

664. *Gramen paniceum*; Spica simplici lævi. Raii Syn. Ed. 2. p. 249.

665. *Gramen paniceum*; Spica aspera. C. B. 8.

666. *Gramen paniceum*; Spica divisa. C. B. 8.

667. *Gramen paniceum*, *Jamaicense*; Spica divisa, nitida.

668. *Helleborus niger hortensis*; flore viridi. C. B. 185.

669. *Milleria*; amplis *Scrophulariæ foliis*, maculatis.

670. *Myosotis hirsuta*, minor. T. Inst. 245.

671. *Nicotiana major*, angustifolia. C. B. 170.

672. *Nicotiana major*, angusto longoque folio, caulem fere amplectente.

673. *Nicotiana latifolia major*; albo flore. Ex Insula Tobago.

674. *Nummularia major*, lutea. C. B. 309.

675. *Pastinaca sylvestris*, latifolia, Austriaca. D. Boerhaave.

676. *Pfyllium angustifolium*, perenne.

*Pfyllium majus, supinum.* C. B. 191.

677. *Pfyllium majus*, erectum, angustifolium annuum.

678. *Pfyllium Dioscoridis*; vel *Indicum*; crenatis foliis. C. B. 191.

679. *Pfyllium majus*, erectum, latifolium, annuum.

*Pfyllium majus, erectum.* C. B. 191.

680. *Rosa moschata*; flore pleno. C. B. 482.

681. *Rosa rubra plena*, spinosissima; pedunculo muscoso. Boerh. Ind. Alt. 252.

682. *Salicaria*; *Hyssopi folio latiore.* T. Inst. 253.

683. *Scabiosa*; capitulo globoso; foliis in tenuissimas lacinias divisis. C. B. 271.

684. *Scabiosa*; capitulo globoso, major. C. B. 270.

*Scabiosa minor.* Matthiol.

685. *Scabiosa*; capitulo globoso, major; acutiore folio, tenuiter dissecto.

686. *Scabiosa*; capitulo globoso, tenuifolia; pediculis florum prælongis.

An *Scabiosa*; capitulo globoso, minor? C. B. 270.

687. *Scabiosa peregrina*, rubra; capitulo oblongo. C. B. 270. *foliis integris.*

688. *Solanum hortense*; sinuatis foliis; Acinis saturate virentibus.

689. *Solanum nigricans*, hortensi simile, elatius, Virginianum, flore foris purpurascente.

690. *Solanum nigricans*, hortensi simile, minore flore & fructu. Ex. Insul. Tobago.

691. *Solanum Officinarum*; acinis luteis. C. B. 166.

692. *Solanum Officinatum*; acinis puniceis. C. B.  
166.

693. *Solanum Americanum*, glabrum; acinis puniceis, majoribus.

694. *Solanum Guineense*; fructu *Cerasi nigri* forma & magnitudine. D. Jussieu.

695. *Teucrium Hispanicum*; latiore folio. T. Inst. 208.

696. *Thlaspidium Apulum*, spicatum. T. Inst.  
215.

697. *Verbena Americana*, humilior; *Urticæ* longiori folio; Spica fere simplici, flore albo.

698. *Verbena Americana*; Spica multiplici laxa.

An *Verbena Caroliniana*; *Melissæ folio aspero*.

Hort. Elth. 407 ?

699. *Verbena Lusitanica*, latifolia, procerior. T. Inst. 200.

700. *Verbena peregrina*; foliis *Urticæ*. Dod. Mem.